L Number	Hits	Search Text	DB	Time stamp
39	5	("4293920" | "5021891" | "5073820" | "5130797" | "5379070").PN.	USPAT	2004/03/11 13:22
40	6	("5159447" | "5241383" | "5245427" | "5402176" | "5404168" | "5426463").PN.	USPAT	2004/03/11 13:26
41	66	DC with predict$4 with (vertical or upper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 13:52
42	64	DC with (difference or delta) near3 (vertical or upper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 13:52
43	8480052	@ad>19960729 not (continua$4 or provison$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 13:30
45	43	(DC with (difference or delta) near3 (vertical or upper)) not (@ad>19960729 not (continua$4 or provison$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 13:31
44	16	(DC with predict$4 with (vertical or upper)) not (@ad>19960729 not (continua$4 or provison$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 13:41
46	3	("3984626" | "4023199" | "4386366").PN.	USPAT	2004/03/11 13:39
47	59	4580162.URPN.	USPAT	2004/03/11 13:40
48	51	4580162.URPN. not (@ad>19960729 not (continua$4 or provison$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 13:41
49	4561	predict$4 with (vertical or upper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:20
50	20223	(difference or delta) near3 (vertical or upper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 13:42
51	24527	(predict$4 with (vertical or upper)) or ((difference or delta) near3 (vertical or upper))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 13:42

52	4	(4580162.URPN. not (@ad>19960729 not (continua$4 or provison$4))) and ((predict$4 with (vertical or upper)) or ((difference or delta) near3 (vertical or upper)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 13:42
55	1	6035322.URPN.	USPAT	2004/03/11 13:50
56	7	5903676.URPN.	USPAT	2004/03/11 13:50
57	87	DC same predict$4 with (vertical or upper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 13:52
58	188	DC same (difference or delta) near3 (vertical or upper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 13:53
59	271	(DC same predict$4 with (vertical or upper)) or (DC same (difference or delta) near3 (vertical or upper))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 13:53
60	119	((DC same predict$4 with (vertical or upper)) or (DC same (difference or delta) near3 (vertical or upper))) not ((DC with predict$4 with (vertical or upper)) or (DC with (difference or delta) near3 (vertical or upper))) not (@ad>19960729 not (continua$4 or provison$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:19
61	1	"5034965".PN.	USPAT	2004/03/11 14:05
62	21	5392037.URPN.	USPAT	2004/03/11 14:05
64	335	predict$4 adj2 DC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:20
65	16313	(vertical$4 or upper or left or horizon$4 or proced$4 or previous) adj1 (block or tile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:22
66	115814	(vertical$4 or upper) near3 (block or tile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:29
67	106	(predict$4 adj2 DC) and ((vertical$4 or upper) near3 (block or tile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:29
68	98	(predict$4 adj2 DC) and ((vertical$4 or upper or left or horizon$4 or proced$4 or previous) adj1 (block or tile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:30

69	56	((predict$4 adj2 DC) and ((vertical$4 or upper or left or horizon$4 or proced$4 or previous) adj1 (block or tile))) not (@ad>19960729 not (continua$4 or provison$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:30
70	48	((predict$4 adj2 DC) and ((vertical$4 or upper) near3 (block or tile))) not (@ad>19960729 not (continua$4 or provison$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:30
71	6	(((predict$4 adj2 DC) and ((vertical$4 or upper) near3 (block or tile))) not (@ad>19960729 not (continua$4 or provison$4))) not (((predict$4 adj2 DC) and ((vertical$4 or upper or left or horizon$4 or proced$4 or previous) adj1 (block or tile))) not (@ad>19960729 not (continua$4 or provison$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:31
73	6	(((predict$4 adj2 DC) and ((vertical$4 or upper) near3 (block or tile))) not (@ad>19960729 not (continua$4 or provison$4))) not ((((predict$4 adj2 DC) and ((vertical$4 or upper) near3 (block or tile))) not (@ad>19960729 not (continua$4 or provison$4))) and (((predict$4 adj2 DC) and ((vertical$4 or upper or left or horizon$4 or proced$4 or previous) adj1 (block or tile))) not (@ad>19960729 not (continua$4 or provison$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:31
72	42	(((predict$4 adj2 DC) and ((vertical$4 or upper) near3 (block or tile))) not (@ad>19960729 not (continua$4 or provison$4))) and (((predict$4 adj2 DC) and ((vertical$4 or upper or left or horizon$4 or proced$4 or previous) adj1 (block or tile))) not (@ad>19960729 not (continua$4 or provison$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:48
76	110	intra adj1 cod$4 near3 DC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:49
77	61	predict$4 near2 cod$4 near3 DC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:49
78	61	(predict$4 near2 cod$4) near3 DC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:51
79	22	((predict$4 near2 cod$4) near3 DC) not (@ad>19960729 not (continua$4 or provison$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 14:59
80	196120	adaptive$4 or (select$4 or switch$4) near2 (vertical$4 or horizon$5 or upper or left)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:02

81	2333	predict$4 with cod$4 same (adaptive$4 or (select$4 or switch$4) near2 (vertical$4 or horizon$5 or upper or left))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 16:55
82	492	DPCM same (adaptive$4 or (select$4 or switch$4) near2 (vertical$4 or horizon$5 or upper or left))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:03
83	46	(predict$4 with cod$4 same (adaptive$4 or (select$4 or switch$4) near2 (vertical$4 or horizon$5 or upper or left))) same DC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:03
84	6	(DPCM same (adaptive$4 or (select$4 or switch$4) near2 (vertical$4 or horizon$5 or upper or left))) same DC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:03
85	51	((predict$4 with cod$4 same (adaptive$4 or (select$4 or switch$4) near2 (vertical$4 or horizon$5 or upper or left))) same DC) or ((DPCM same (adaptive$4 or (select$4 or switch$4) near2 (vertical$4 or horizon$5 or upper or left))) same DC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:03
86	20	(((predict$4 with cod$4 same (adaptive$4 or (select$4 or switch$4) near2 (vertical$4 or horizon$5 or upper or left))) same DC) or ((DPCM same (adaptive$4 or (select$4 or switch$4) near2 (vertical$4 or horizon$5 or upper or left))) same DC)) not (@ad>19960729 not (continua$4 or provison$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:11
87	31	(((predict$4 with cod$4 same (adaptive$4 or (select$4 or switch$4) near2 (vertical$4 or horizon$5 or upper or left))) same DC) or ((DPCM same (adaptive$4 or (select$4 or switch$4) near2 (vertical$4 or horizon$5 or upper or left))) same DC)) not ((((predict$4 with cod$4 same (adaptive$4 or (select$4 or switch$4) near2 (vertical$4 or horizon$5 or upper or left))) same DC) or ((DPCM same (adaptive$4 or (select$4 or switch$4) near2 (vertical$4 or horizon$5 or upper or left))) same DC)) not (@ad>19960729 not (continua$4 or provison$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:13
88	2	WO adj2 "9615620"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:14
89	1	JP adj2 "05157149"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:25
90	1	JP05157149	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:26

91	1	JP06157149		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:27
92	5	379562.ap.		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:28
93	1	08/379562		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:34
94	255	gradient near2 predict$4		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:38
95	13	DC same (gradient near2 predict$4)		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:37
96	1224	gradient with predict$4		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 16:31
97	151	gradient$10 adj2 predict$4		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:39
98	12	DC same (gradient$10 adj2 predict$4)		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 16:29
99	28	DC same (gradient with predict$4)		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 15:40
100	11	small$4 adj2 gradient with predict$4		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 16:33

101	27	correlation with (adjacent or neighbor$4) adj1 (block or DC) with predict$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 16:38
102	1	correlation with (adjacent or neighbor$4) adj1 (block or DC) with DPCM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 16:45
103	9	predict$4 with DC with edge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 16:46
104	26	predict$4 with DC with gradient	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 16:48
106	103	haskell.in. and Barin.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 16:49
107	23	(haskell.in. and Barin.in.) and DC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 16:49
108	34	predict$4 adj2 pixel with (gradient or edge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 16:56
109	16	(predict$4 adj2 pixel with (gradient or edge)) not (@ad>19960729 not (continua$4 or provison$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 16:56

L Number	Hits	Search Text	DB	Time stamp
1	0	select$4 adj3 (above or top or upper) with DC with (gradient or edge or (difference or change) near2 vertical$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 17:29
3	6	select$4 adj3 (above or top or upper) with DC same (gradient or edge or (difference or change) near2 vertical$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 17:31
4	5	select$4 with (above or top or upper) near3 block with DC same (gradient or edge or (difference or change) near2 vertical$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 17:33
5	2	select$4 with (above or top or upper) near3 block with predict$4 same (gradient or edge or (difference or change) near2 vertical$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 17:34
6	21	Bhavan.in. and Gandhi.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 17:39
7	3	333664.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/03/11 17:40